



Application Suggestion

APPLICATION		SIZE	F/R	GTV01		GTV02		GTV03		PAR		
				SIZING	PHANTOM SILVER	FLAT BLACK	SIZING	PHANTOM SILVER	FLAT BLACK		SIZING	PHANTOM SILVER
ACURA	INTEGRA DA/DC (except Type R)	15	F+R	15x6.5 +42 4/100	T415650+4204CPS	T415650+4204CMB	15x6.5 +42 4/100	T515650+4204CPS	T515650+4204CMB			
			F+R			15x7.0 +42 4/100	T515700+4204CPS	T515700+4204CMB				
			F+R			15x7.0 +35 4/100	T515700+3504CPS	T515700+3504CMB				
		16	F+R	16x6.5 +42 4/100	T416650+4204CPS	T416650+4204CMB	16x6.5 +42 4/100	T516650+4204CPS	T516650+4204CMB			
			F+R			16x7.0 +42 4/100	T516700+4204CPS	T516700+4204CMB				
			F+R			16x7.0 +42 5/114.3	T516700+4205GPS	T516700+4205GMB				
	RSX	16	F+R	17x7 +42 5/114.3	T417700+4205GPS	T417700+4205GMB	17x7.0 +42 5/114.3	T517700+4205GPS	T517700+4205GMB	17x7.0 +42 5/114.3	T617700+4205GPS	
			F+R			17x8.0 +45 5/114.3	T517800+4505GPS	T517800+4505GMB				
			F+R	18x7.5 +43 5/114.3	T418750+4305GPS	T418750+4305GMB	18x7.5 +43 5/114.3	T518750+4305GPS	T518750+4305GMB	18x7.5 +43 5/114.3	T618750+4305GPS	
		18	F+R	18x8 +35 5/114.3	T418800+3505GPS	T418800+3505GMB	18x8.0 +35 5/114.3	T518800+3505GPS	T518800+3505GMB	18x8.0 +35 5/114.3	T618800+3505GPS	
			F+R	18x8.5 +48 5/114.3	T418850+4805GPS	T418850+4805GMB	18x8.5 +48 5/114.3	T518850+4805GPS	T518850+4805GMB	18x8.5 +48 5/114.3	T618850+4805GPS	
			F+R	18x8.5 +40 5/114.3	T418850+4005GPS	T418850+4005GMB	18x8.5 +40 5/114.3	T518850+4005GPS	T518850+4005GMB	18x8.5 +40 5/114.3	T618850+4005GPS	
	TL 04-08	18	F+R	18x9.0 +35 5/114.3	T418900+3505GPS	T418900+3505GMB	18x9.0 +35 5/114.3	T518900+3505GPS	T518900+3505GMB	18x9.0 +35 5/114.3	T618900+3505GPS	
			F+R	18x9.5 +35 5/114.3	T418950+3505GPS	T418950+3505GMB	18x9.5 +35 5/114.3	T518950+3505GPS	T518950+3505GMB	18x9.5 +35 5/114.3	T618950+3505GPS	
			F+R	19x8.5 +38 5/114.3	T419850+3805GPS	T419850+3805GMB	19x8.5 +38 5/114.3	T519850+3805GPS	T519850+3805GMB	19x8.5 +38 5/114.3	T619850+3805GPS	
19		F+R	19x9.5 +35 5/114.3	T419950+3505GPS	T419950+3505GMB	19x9.5 +35 5/114.3	T519950+3505GPS	T519950+3505GMB	19x9.5 +35 5/114.3	T619950+3505GPS		
		F+R	15x6.5 +42 4/100	T415650+4204CPS	T415650+4204CMB	15x6.5 +42 4/100	T515650+4204CPS	T515650+4204CMB				
		F+R			15x7.0 +42 4/100	T515700+4204CPS	T515700+4204CMB					
HONDA	CIVIC EG/EK/EP, Fit	15	F+R	16x6.5 +42 4/100	T416650+4204CPS	T416650+4204CMB	16x6.5 +42 4/100	T516650+4204CPS	T516650+4204CMB			
			F+R			16x7.0 +42 4/100	T516700+4204CPS	T516700+4204CMB				
			F+R			16x7.0 +42 5/114.3	T516700+4205GPS	T516700+4205GMB				
		16	F+R	17x7 +42 5/114.3	T417700+4205GPS	T417700+4205GMB	17x7.0 +42 5/114.3	T517700+4205GPS	T517700+4205GMB	17x7.0 +42 5/114.3	T617700+4205GPS	
			F+R			17x8.0 +45 5/114.3	T517800+4505GPS	T517800+4505GMB				
			F+R	18x7.5 +43 5/114.3	T418750+4305GPS	T418750+4305GMB	18x7.5 +43 5/114.3	T518750+4305GPS	T518750+4305GMB	18x7.5 +43 5/114.3	T618750+4305GPS	
	CIVIC FD/FA	18	F+R	18x8 +35 5/114.3	T418800+3505GPS	T418800+3505GMB	18x8.0 +35 5/114.3*	T518800+3505GPS	T518800+3505GMB	18x8.0 +35 5/114.3	T618800+3505GPS	
			F+R	18x8.5 +48 5/114.3	T418850+4805GPS	T418850+4805GMB	18x8.5 +48 5/114.3	T518850+4805GPS	T518850+4805GMB	18x8.5 +48 5/114.3	T618850+4805GPS	
			F+R	16x7.0 +42 5/114.3	T417700+4205GPS	T417700+4205GMB	17x7.0 +42 5/114.3	T517700+4205GPS	T517700+4205GMB			
		CRZ	16	F+R	17x7 +42 5/114.3	T417700+4205GPS	T417700+4205GMB	17x7.0 +42 5/114.3	T517700+4205GPS	T517700+4205GMB	17x7.0 +42 5/114.3	T617700+4205GPS
				F+R			17x8.0 +45 5/114.3	T517800+4505GPS	T517800+4505GMB			
				F+R	18x7.5 +43 5/114.3	T418750+4805GPS	T418750+4805GMB	18x7.5 +43 5/114.3	T518750+4305GPS	T518750+4305GMB	18x7.5 +43 5/114.3	T618750+4305GPS
	18		F+R	18x8.5 +48 5/114.3	T418850+4805GPS	T418850+4805GMB	18x8.5 +48 5/114.3	T518850+4805GPS	T518850+4805GMB	18x8.5 +48 5/114.3	T618850+4805GPS	
			F			17x8.0 +45 5/114.3	T517800+4505GPS	T517800+4505GMB				
			R			17x9.0 +45 5/114.3*	T517900+4505GPS	T517900+4505GMB	18x8.5 +48 5/114.3	T618850+4805GPS		
	S2000	17	F			17x7.0 +42 5/114.3	T517700+4205GPS	T517700+4205GMB				
			R			17x8.0 +45 5/114.3	T517800+4505GPS	T517800+4505GMB				
			F	18x7.5 +43 5/114.3	T418750+4305GPS	T418750+4305GMB	17x8.0 +45 5/114.3*	T517800+4505GPS	T517800+4505GMB	18x7.5 +48 5/114.3	T618750+4805GPS	
		18	R	18x8.5 +48 5/114.3	T418850+4805GPS	T418850+4805GMB	17x9.0 +45 5/114.3*	T517900+4505GPS	T517900+4505GMB	18x8.5 +48 5/114.3	T618850+4805GPS	
			F	18x8.5 +48 5/114.3	T418850+4805GPS	T418850+4805GMB	18x8.0 +45 5/114.3	T518800+4505GPS	T518800+4505GMB	18x8.5 +48 5/114.3	T618850+4805GPS	
			R	18x9.5 +45 5/114.3	T418950+4505GPS	T418950+4505GMB	18x9.0 +45 5/114.3	T518900+4505GPS	T518900+4505GMB	18x9.5 +45 5/114.3	T618950+4505GPS	

*= Aggressive (may Require fender modification)
 **= 2011+ WRX Only

KEY

RECOMMENDED
SLIGHTLY AGGRESSIVE
POPULAR/AGGRESSIVE*



Application Suggestion

APPLICATION		SIZE	F/R	GTV01		GTV02		GTV03		PAR	
				SIZING	PHANTOM SILVER	FLAT BLACK	SIZING	PHANTOM SILVER	FLAT BLACK		SIZING
INFINITI	G35 COUPE	18	F	18X8.5 +22 5/114.3	T418850+2205GPS	T418850+2205GMB	18X8.5 +22 5/114.3	T518850+2205GPS	T518850+2205GMB	18X8.5 +22 5/114.3	T618850+2205GPS
			R	18X9.5 +22 5/114.3	T418950+2205GPS	T418950+2205GMB	18X9.5 +22 5/114.3	T518950+2205GPS	T518950+2205GMB	18X9.5 +22 5/114.3	T618950+2205GPS
			F	18X9.5 +22 5/114.3	T418950+2205GPS	T418950+2205GMB	18X9.5 +22 5/114.3	T518950+2205GPS	T518950+2205GMB		
			R	18X10.5 +15 5/114.3	T418105+1505GPS	T418105+1505GMB	18X10.5 +25 5/114.3	T518105+2505GPS	T518105+2505GMB		
			F				18X9.5 +22 5/114.3	T518950+2205GPS	T518950+2205GMB		
		R				18X10.5 +15 5/114.3	T518105+1505GPS	T518105+1505GMB			
		F	19x8.5 +25 5/114.3	T419850+2505GPS	T419850+2505GMB	19x8.5 +25 5/114.3	T519850+2505GPS	T519850+2505GMB	19X8.5 +25 5/114.3	T619850+2505GPS	
		R	19x9.5 +20 5/114.3	T419950+2005GPS	T419950+2005GMB	19x9.5 +20 5/114.3	T519950+2005GPS	T519950+2005GMB	19X9.5 +20 5/114.3	T619950+2005GPS	
		F							19X9.5 +20 5/114.3	T619950+2005GPS	
		R							19X10.5 +25 5/114.3	T619105+2505GPS	
	F							19X9.5 +20 5/114.3	T619950+2005GPS		
	R							19X10.5 +15 5/114.3	T619105+1505GPS		
	F	18x7.5 +43 5/114.3	T418750+4305GPS	T418750+4305GMB	18x7.5 +43 5/114.3	T518750+4305GPS	T518750+4305GMB	18x7.5 +43 5/114.3	T618750+4305GPS		
	R	18x8.5 +48 5/114.3	T418850+4805GPS	T418850+4805GMB	18x8.5 +48 5/114.3	T518850+4805GPS	T518850+4805GMB	18x8.5 +48 5/114.3	T618850+4805GPS		
	F	18x8.5 +40 5/114.3	T418850+4005GPS	T418850+4005GMB	18x8.5 +40 5/114.3	T518850+4005GPS	T518850+4005GMB	18x8.5 +40 5/114.3	T618850+4005GPS		
	R	18x9.5 +45 5/114.3	T418950+4505GPS	T418950+4505GMB	18x9.5 +45 5/114.3	T518950+4505GPS	T518950+4505GMB	18x9.5 +45 5/114.3	T618950+4505GPS		
	F	19x8.5 +38 5/114.3	T419850+3805GPS	T419850+3805GMB	19x8.5 +38 5/114.3	T519850+3805GPS	T519850+3805GMB	19x8.5 +38 5/114.3	T619850+3805GPS		
	R	19x9.5 +35 5/114.3	T419950+3505GPS	T419950+3505GMB	19x9.5 +35 5/114.3	T519950+3505GPS	T519950+3505GMB	19x9.5 +35 5/114.3	T619950+3505GPS		
LEXUS	SC300/400	17	F				17x8.0 +33 5/114.3	T517800+3305GPS	T517800+3305GMB		
			R				17X9.0 +38 5/114.3	T517900+3805GPS	T517900+3805GMB		
		F	18x7.5 +43 5/114.3	T418750+4305GPS	T418750+4305GMB	18x7.5 +43 5/114.3	T518750+4305GPS	T518750+4305GMB	18x7.5 +43 5/114.3	T618750+4305GPS	
		R	18x8.5 +40 5/114.3	T418850+4005GPS	T418850+4005GMB	18x8.5 +40 5/114.3	T518850+4005GPS	T518850+4005GMB	18x8.5 +40 5/114.3	T618850+4005GPS	
		F	18x8.0 +35 5/114.3	T418800+3505GPS	T418800+3505GMB	18x8.0 +35 5/114.3	T518800+3505GPS	T518800+3505GMB	18x8.0 +35 5/114.3	T618800+3505GPS	
		R	18x9.0 +35 5/114.3	T418900+3505GPS	T418900+3505GMB	18x9.0 +35 5/114.3	T518900+3505GPS	T518900+3505GMB	18x9.0 +35 5/114.3	T618900+3505GPS	
		F	19x8.5 +38 5/114.3	T419850+3805GPS	T419850+3805GMB	19x8.5 +38 5/114.3	T519850+3805GPS	T519850+3805GMB	19x8.5 +38 5/114.3	T619850+3805GPS	
		R	19x9.5 +35 5/114.3	T419950+3505GPS	T419950+3505GMB	19x9.5 +35 5/114.3	T519950+3505GPS	T519950+3505GMB	19x9.5 +35 5/114.3	T619950+3505GPS	
		F	18x7.5 +43 5/114.3	T418750+4305GPS	T418750+4305GMB	18x7.5 +43 5/114.3	T518750+4305GPS	T518750+4305GMB	18x7.5 +43 5/114.3	T618750+4305GPS	
		R	18x8.5 +48 5/114.3	T418850+4805GPS	T418850+4805GMB	18x8.5 +48 5/114.3	T518850+4805GPS	T518850+4805GMB	18x8.5 +48 5/114.3	T618850+4805GPS	
	F	18x8.5 +40 5/114.3	T418850+4005GPS	T418850+4005GMB	18x8.5 +40 5/114.3	T518850+4005GPS	T518850+4005GMB	18x8.5 +40 5/114.3	T618850+4005GPS		
	R	18x9.5 +45 5/114.3	T418950+4505GPS	T418950+4505GMB	18x9.5 +45 5/114.3	T518950+4505GPS	T518950+4505GMB	18x9.5 +45 5/114.3	T618950+4505GPS		
	F	19x8.5 +38 5/114.3	T419850+3805GPS	T419850+3805GMB	19x8.5 +38 5/114.3	T519850+3805GPS	T519850+3805GMB	19x8.5 +38 5/114.3	T619850+3805GPS		
	R	19x9.5 +35 5/114.3	T419950+3505GPS	T419950+3505GMB	19x9.5 +35 5/114.3	T519950+3505GPS	T519950+3505GMB	19x9.5 +35 5/114.3	T619950+3505GPS		
	LEXUS SEDAN	18	F	18x7.5 +43 5/114.3	T418750+4305GPS	T418750+4305GMB	18x7.5 +43 5/114.3	T518750+4305GPS	T518750+4305GMB	18x7.5 +43 5/114.3	T618750+4305GPS
			R	18x8.5 +48 5/114.3	T418850+4805GPS	T418850+4805GMB	18x8.5 +48 5/114.3	T518850+4805GPS	T518850+4805GMB	18x8.5 +48 5/114.3	T618850+4805GPS
			F	18x8.5 +40 5/114.3	T418850+4005GPS	T418850+4005GMB	18x8.5 +40 5/114.3	T518850+4005GPS	T518850+4005GMB	18x8.5 +40 5/114.3	T618850+4005GPS
		R	18x9.5 +45 5/114.3	T418950+4505GPS	T418950+4505GMB	18x9.5 +45 5/114.3	T518950+4505GPS	T518950+4505GMB	18x9.5 +45 5/114.3	T618950+4505GPS	
F		19x8.5 +38 5/114.3	T419850+3805GPS	T419850+3805GMB	19x8.5 +38 5/114.3	T519850+3805GPS	T519850+3805GMB	19x8.5 +38 5/114.3	T619850+3805GPS		
R		19x9.5 +35 5/114.3	T419950+3505GPS	T419950+3505GMB	19x9.5 +35 5/114.3	T519950+3505GPS	T519950+3505GMB	19x9.5 +35 5/114.3	T619950+3505GPS		

* = Aggressive (may Require tender modication)

** = 2011+ WRX Only

KEY

RECOMMENDED
SLIGHTLY AGGRESSIVE
POPULAR/AGGRESSIVE*



Application Suggestion

APPLICATION		SIZE	F/R	GTV01		GTV02		GTV03		PAR	
				SIZING	PHANTOM SILVER	FLAT BLACK	SIZING	PHANTOM SILVER	FLAT BLACK		SIZING
MAZDA	3	17	F+R	17X7.0 +50 5/114.3	T417700+5005GPS	T417700+5005GMB	17X7.0 +50 5/114.3	T517700+5005GPS	T517700+5005GMB	17X7.0 +50 5/114.3	T617700+5005GPS
			F+R				17X8.0 +45 5/114.3	T517800+4505GPS	T517800+4505GMB		
		18	F+R	18X7.5 +53 5/114.3	T418750+5305GPS	T418750+5305GMB	18X7.5 +53 5/114.3	T518750+5305GPS	T518750+5305GMB	18X7.5 +53 5/114.3	T618750+5305GPS
			F+R	18X8.5 +48 5/114.3	T418850+4805GPS	T418850+4805GMB	18X8.5 +48 5/114.3	T518850+4805GPS	T518850+4805GMB	18X8.5 +48 5/114.3	T618850+4805GPS
	MIATA NA/NB	15	F+R	15x6.5 +42 4/100	T415650+4204CPS	T415650+4204CMB	15x6.5 +42 4/100	T515650+4204CPS	T515650+4204CMB		
			F+R				15x7.0 +42 4/100	T515700+4204CPS	T515700+4204CMB		
		16	F+R				15x7.0 +35 4/100	T515700+3504CPS	T515700+3504CMB		
			F+R	16x6.5 +42 4/100	T416650+4204CPS	T416650+4204CMB	16x6.5 +42 4/100	T516650+4204CPS	T516650+4204CMB		
	RX7 FD	17	F				17x8.0 +45 5/114.3	T517800+4505GPS	T517800+4505GMB		
			R				17x9.0 +45 5/114.3	T517900+4505GPS	T517900+4505GMB		
		18	F	18x8.0 +35 5/114.3	T418800+3505GPS	T418800+3505GMB	18x8.0 +40 5/114.3	T518800+4005GPS	T518800+4005GMB	18x8.0 +40 5/114.3	T618800+4005GPS
			R	18x9.0 +35 5/114.3	T418900+3505GPS	T418900+3505GMB	18x9.0 +45 5/114.3	T518900+4505GPS	T518900+4505GMB	18x9.0 +45 5/114.3	T618900+4505GPS
F			18x8.5 +40 5/114.3	T418850+4005GPS	T418850+4005GMB	18x8.5 +40 5/114.3	T518850+4005GPS	T518850+4005GMB			
R			18x9.5 +35 5/114.3	T418950+3505GPS	T418950+3505GMB	18x9.5 +35 5/114.3	T518950+3505GPS	T518950+3505GMB			
MITSUBISHI	EVO X	18	F+R	18x8.5 +30 5/114.3	T418850+3005GPS	T418850+3005GMB	18x8.5 +30 5/114.3	T518850+3005GPS	T518850+3005GMB	18x8.5 +30 5/114.3	T618850+3005GPS
			F+R	18x8.5 +22 5/114.3	T418850+2205GPS	T418850+2205GMB	18x8.5 +22 5/114.3	T518850+2205GPS	T518850+2205GMB	18x8.5 +22 5/114.3	T618850+2205GPS
			F+R	18x9.5 +22 5/114.3	T418950+2205GPS	T418950+2205GMB	18x9.5 +22 5/114.3	T518950+2205GPS	T518950+2205GMB	18x9.5+22 5/114.3	T618950+2205GPS
			F+R	18x10.5 +15 5/114.3	T418105+1505GPS	T418105+1505GMB	18x10.5 +15 5/114.3	T518105+1505GPS	T518105+1505GMB		
		19	F+R	19x8.5 +25 5/114.3	T419850+2505GPS	T419850+2505GMB	19x8.5 +25 5/114.3	T519850+2505GPS	T519850+2505GMB	19x8.5+25 5/114.3	T619850+2505GPS
			F+R	19x9.5 +20 5/114.3	T419950+2005GPS	T419950+2005GMB	19x9.5 +20 5/114.3	T519950+2005GPS	T519950+2005GMB	19X9.5 +20 5/114.3	T619950+2005GPS
	EVO 8/9	17	F+R				17x8.0 +33 5/114.3	T517800+3305GPS	T517800+3305GMB		
			F+R				17x9.0 +22 5/114.3	T517900+2205GPS	T517900+2205GMB		
		18	F+R	18x8.5 +30 5/114.3	T418850+3005GPS	T418850+3005GMB	18x8.0 +35 5/114.3	T518800+3505GPS	T518800+3505GMB	18x8.5 +30 5/114.3	T618850+3005GPS
			F+R	18X8.5 +22 5/114.3	T418850+2205GPS	T418850+2205GMB	18x8.5 +30 5/114.3	T518850+3005GPS	T518850+3005GMB	18x8.5 +22 5/114.3	T618850+2205GPS
			F+R	18X9.5 +22 5/114.3	T418950+2205GPS	T418950+2205GMB	18X8.5 +22 5/114.3	T518850+2205GPS	T518850+2205GMB	18x9.5 +22 5/114.3	T618950+2205GPS
			F+R				18x9.5 +22 5/114.3	T518950+2205GPS	T518950+2205GMB		
	LANCER 07+	16	F+R				16X7.0 +42 5/114.3	T516700+4205GPS	T516700+4205GMB		
			F+R	17X7.0 +42 5/114.3	T417700+4205GPS	T417700+4205GMB	17X7.0 +42 5/114.3	T517700+4205GPS	T517700+4205GMB		
		18	F+R				17X8.0 +45 5/114.3	T517800+4505GPS	T517800+4505GMB		
			F+R	18X7.5 +43 5/114.3	T418750+4305GPS	T418750+4305GMB	18X7.5 +43 5/114.3	T518750+4305GPS	T518750+4305GMB		
			F+R	18x8.5 +40 5/114.3	T418850+4005GPS	T418850+4005GMB	18x8.5 +40 5/114.3	T518850+4005GPS	T518850+4005GMB		
			F+R								

*= Aggressive (may Require tender modification)

**= 2011+ WRX Only

KEY

RECOMMENDED
SLIGHTLY AGGRESSIVE
POPULAR/AGGRESSIVE*



Application Suggestion

APPLICATION	SIZE	F/R	GTVO1		GTVO2		GTVO3		PAR		
			SIZING	PHANTOM SILVER	FLAT BLACK	SIZING	PHANTOM SILVER	FLAT BLACK		SIZING	PHANTOM SILVER
NISSAN	240SX S13/S14 (5 lug)	17	F				17x8.0 +33 5/114.3	T517800+3305GPS	T517800+3305GMB		
			R				17x9.0 +38 5/114.3	T517900+3805GPS	T517900+3805GMB		
			F				17x8.0 +33 5/114.3	T517800+3305GPS	T517800+3305GMB		
			R				17x9.0 +22 5/114.3	T517900+2205GPS	T517900+2205GMB		
			F+R				17x9.0 +22 5/114.3	T517900+2205GPS	T517900+2205GMB		
		18	F	18x8.0 +35 5/114.3	T418800+3505GPS	T418800+3505GMB	18x8.0 +35 5/114.3	T518800+3505GPS	T518800+3505GMB	18x8.0 +35 5/114.3	T618800+3505GPS
			R	18x9.0 +35 5/114.3	T418900+3505GPS	T418900+3505GMB	18x9.0 +35 5/114.3	T518900+3505GPS	T518900+3505GMB	18x9.0 +35 5/114.3	T618900+3505GPS
			F	18x8.5 +30 5/114.3	T418850+3005GPS	T418850+3005GMB	18x8.5 +30 5/114.3	T518850+3005GPS	T518850+3005GMB	18x8.5 +30 5/114.3	T618850+3005GPS
			R	18x9.5 +35 5/114.3	T418950+3505GPS	T418950+3505GMB	18x9.5 +35 5/114.3	T518950+3505GPS	T518950+3505GMB	18x9.5 +35 5/114.3	T618950+3505GPS
			F	18x8.5 +22 5/114.3	T418850+2205GPS	T418850+2205GMB	18x8.5 +22 5/114.3	T518850+2205GPS	T518850+2205GMB	18x8.5 +22 5/114.3	T618850+2205GPS
	R		18x9.5 +22 5/114.3	T418950+2205GPS	T418950+2205GMB	18x9.5 +22 5/114.3	T518950+2205GPS	T518950+2205GMB	18x9.5 +22 5/114.3	T618950+2205GPS	
	F		18x9.5 +22 5/114.3	T418950+2205GPS	T418950+2205GMB	18x9.5 +22 5/114.3	T518950+2205GPS	T518950+2205GMB	18x9.5 +22 5/114.3	T618950+2205GPS	
	R		18x10.5 +15 5/114.3	T418105+1505GPS	T418105+1505GMB	18x10.5 +15 5/114.3	T518105+1505GPS	T518105+1505GMB	18x9.5 +22 5/114.3	T618950+2205GPS	
	350Z	18	F	18x8.5 +22 5/114.3	T418850+2205GPS	T418850+2205GMB	18x8.5 +22 5/114.3	T518850+2205GPS	T518850+2205GMB	18x8.5 +22 5/114.3	T618850+2205GPS
			R	18x9.5 +22 5/114.3	T418950+2205GPS	T418950+2205GMB	18x9.5 +22 5/114.3	T518950+2205GPS	T518950+2205GMB	18x9.5 +22 5/114.3	T618950+2205GPS
			F	18x9.5 +22 5/114.3	T418950+2205GPS	T418950+2205GMB	18x9.5 +22 5/114.3	T518950+2205GPS	T518950+2205GMB		
			R	18x10.5 +15 5/114.3	T418105+1505GPS	T418105+1505GMB	18x10.5 +15 5/114.3	T518105+1505GPS	T518105+1505GMB		
			F				18x9.5 +22 5/114.3	T518950+2205GPS	T518950+2205GMB		
			R				18x10.5 +15 5/114.3	T518105+1505GPS	T518105+1505GMB		
		19	F	19x8.5 +25 5/114.3	T419850+2505GPS	T419850+2505GMB	19x8.5 +25 5/114.3	T519850+2505GPS	T519850+2505GMB	19x8.5 +25 5/114.3	T619850+2505GPS
			R	19x9.5 +20 5/114.3	T419950+2005GPS	T419950+2005GMB	19x9.5 +20 5/114.3	T519950+2005GPS	T519950+2005GMB	19x9.5 +20 5/114.3	T619950+2005GPS
			F							19x9.5 +20 5/114.3	T619950+2005GPS
			R							19x10.5 +25 5/114.3	T619105+2505GPS
	370Z	18	F	18x8.5 +22 5/114.3	T418850+2205GPS	T418850+2205GMB	18x8.5 +22 5/114.3	T518850+2205GPS	T518850+2205GMB	18x8.5 +22 5/114.3	T618850+2205GPS
			R	18x9.5 +22 5/114.3	T418950+2205GPS	T418950+2205GMB	18x9.5 +22 5/114.3	T518950+2205GPS	T518950+2205GMB	18x9.5 +22 5/114.3	T618950+2205GPS
			F	18x9.5 +22 5/114.3	T418950+2205GPS	T418950+2205GMB	18x9.5 +22 5/114.3	T518950+2205GPS	T518950+2205GMB		
			R	18x10.5 +25 5/114.3	T418105+2505GPS	T418105+2505GMB	18x10.5 +25 5/114.3	T518105+2505GPS	T518105+2505GMB		
			F	18x9.5 +22 5/114.3	T418950+2205GPS	T418950+2205GMB	18x9.5 +22 5/114.3	T518950+2205GPS	T518950+2205GMB		
			R	18x10.5 +15 5/114.3	T418105+1505GPS	T418105+1505GMB	18x10.5 +15 5/114.3	T518105+1505GPS	T518105+1505GMB		
		19	F	19x8.5 +25 5/114.3	T419850+2505GPS	T419850+2505GMB	19x8.5 +25 5/114.3	T519850+2505GPS	T519850+2505GMB	19x9.5 +20 5/114.3	T619950+2005GPS
			R	19x9.5 +20 5/114.3	T419950+2005GPS	T419950+2005GMB	19x9.5 +20 5/114.3	T519950+2005GPS	T519950+2005GMB	19x10.5 +25 5/114.3	T619105+2505GPS
			F							19x9.5 +20 5/114.3	T619950+2005GPS
			R							19x10.5 +15 5/114.3	T619105+1505GPS
	SENTRA 07-13	17	F+R	17x7.0 +42 5/114.3	T417700+4205GPS	T417700+4205GMB	17x7.0 +42 5/114.3	T517700+4205GPS	T517700+4205GMB	17x7.0 +42 5/114.3	T617700+4205GPS
			F+R				17x8.0 +45 5/114.3	T517800+4505GPS	T517800+4505GMB		
		18	F+R	18x7.5 +43 5/114.3	T418750+4305GPS	T418750+4305GMB	18x7.5 +43 5/114.3	T518750+4305GPS	T518750+4305GMB	18x7.5 +43 5/114.3	T618750+4305GPS
			F+R	18x8.0 +35 5/114.3	T418800+3505GPS	T418800+3505GMB	18x8.0 +35 5/114.3	T518800+3505GPS	T518800+3505GMB	18x8.0 +35 5/114.3	T618800+3505GPS

*= Aggressive (may Require tender modification)

**= 2011+ WRX Only

KEY

RECOMMENDED
SLIGHTLY AGGRESSIVE
POPULAR/AGGRESSIVE



Application Suggestion

APPLICATION	SIZE	F/R	GT V01			GT V02			GT V03			
			SIZING	PHANTOM SILVER	FLAT BLACK	SIZING	PHANTOM SILVER	FLAT BLACK	SIZING	PHANTOM SILVER		
SCION	FRS	17	F+R	17x7.0 +50 5/100	T417700+5005CPS	T417700+5005CMB	17x7.0 +50 5/100	T517700+5005CPS	T517700+5005CMB	17x7.0 +50 5/100	T617700+5005CPS	
			F			17x7.0 +50 5/100	T517700+5005CPS	T517700+5005CMB				
			R			17x8.0 +45 5/100	T517800+4505CPS	T517800+4505CMB				
		18	F	18x7.5 +48 5/100	T418750+4805CPS	T418750+4805CMB	18x7.5 +48 5/100	T518750+4805CPS	T518750+4805CMB	18x7.5 +48 5/100	T618750+4805CPS	
			R	18x8.5 +44 5/100	T418850+4405CPS	T418850+4405CMB	18x8.5 +44 5/100	T518850+4405CPS	T518850+4405CMB	18x8.5 +44 5/100	T618850+4405CPS	
			F				18x8.5 +44 5/100	T518850+4405CPS	T518850+4405CMB			
	TC 05-10	17	F+R	17x7.0 +50 5/100	T417700+5005CPS	T417700+5005CMB	17x7.0 +50 5/100	T517700+5005CPS	T517700+5005CMB	17x7.0 +50 5/100	T617700+5005CPS	
			F+R	18x7.5 +48 5/100	T418750+4805CPS	T418750+4805CMB	18x7.5 +48 5/100	T518750+4805CPS	T518750+4805CMB	18x7.5 +48 5/100	T618750+4805CPS	
		18	F+R	18x8.5 +44 5/100	T418850+4405CPS	T418850+4405CMB	18x8.5 +44 5/100	T518850+4405CPS	T518850+4405CMB	18x8.5 +44 5/100	T618850+4405CPS	
			F+R	17x7.0 +42 5/114.3	T417700+4205GPS	T417700+4205GMB	17x7.0 +42 5/114.3	T517700+4205GPS	T517700+4205GMB	17x7.0 +42 5/114.3	T617700+4205GPS	
		TC 11+	18	F+R	18x7.5 +43 5/114.3	T418750+4305GPS	T418750+4305GMB	18x7.5 +43 5/114.3	T518750+4305GPS	T518750+4305GMB	18x7.5 +43 5/114.3	T618750+4305GPS
				F+R	18x8.0 +35 5/114.3	T418800+3505GPS	T418800+3505GMB	18x8.0 +35 5/114.3	T518800+3505GPS	T518800+3505GMB	18x8.0 +35 5/114.3	T618800+3505GPS
			F+R	18x8.5 +40 5/114.3	T418850+4005GPS	T418850+4005GMB	18x8.5 +40 5/114.3	T518850+4005GPS	T518850+4005GMB	18x8.5 +40 5/114.3	T618850+4005GPS	
			F+R	19x8.5 +38 5/114.3	T419850+3805GPS	T419850+3805GMB	19x8.5 +38 5/114.3	T519850+3805GPS	T519850+3805GMB	19x8.5 +38 5/114.3	T619850+3805GPS	
		XB 04-07	15	F+R	15x6.5 +42 4/100	T415650+4204CPS	T415650+4204CMB	15x6.5 +42 4/100	T515650+4204CPS	T515650+4204CMB		
			16	F+R	16x6.5 +42 4/100	T416650+4204CPS	T416650+4204CMB	16x6.5 +42 4/100	T516650+4204CPS	T516650+4204CMB		
			17	F+R	17x7.0 +42 4/100	T417700+4204CPS	T417700+4204CMB	17x7.0 +42 4/100	T517700+4204CPS	T517700+4204CMB		
		XB 08-13	16	F+R				16x7.0 +42 5/114.3	T516700+4205GPS	T516700+4205GMB		
	17		F+R	17x7.0 +42 5/114.3	T417700+4205GPS	T417700+4205GMB	17x7.0 +42 5/114.3	T517700+4205GPS	T517700+4205GMB	17x7.0 +42 5/114.3	T617700+4205GPS	
	18		F+R	18x8.0 +35 5/114.3	T418800+3505GPS	T418800+3505GMB	18x8.0 +35 5/114.3	T518800+3505GPS	T518800+3505GMB	18x8.0 +35 5/114.3	T618800+3505GPS	
			F+R	18x8.5 +40 5/114.3	T418850+4005GPS	T418850+4005GMB	18x8.5 +40 5/114.3	T518850+4005GPS	T518850+4005GMB	18x8.5 +40 5/114.3	T618850+4005GPS	
	F+R		19x8.5 +38 5/114.3	T419850+3805GPS	T419850+3805GMB	19x8.5 +38 5/114.3	T519850+3805GPS	T519850+3805GMB	19x8.5 +38 5/114.3	T619850+3805GPS		
	SUBARU	BRZ	17	F+R	17x7.0 +50 5/100	T417700+5005CPS	T417700+5005CMB	17x7.0 +50 5/100	T517700+5005CPS	T517700+5005CMB	17x7.0 +50 5/100	T617700+5005CPS
				F				17x7.0 +50 5/100	T517700+5005CPS	T517700+5005CMB		
R							17x8.0 +45 5/100	T517800+4505CPS	T517800+4505CMB			
18			F	18x7.5 +48 5/100	T418750+4805CPS	T418750+4805CMB	18x7.5 +48 5/100	T518750+4805CPS	T518750+4805CMB	18x7.5 +48 5/100	T618750+4805CPS	
			R	18x8.5 +44 5/100	T418850+4405CPS	T418850+4405CMB	18x8.5 +44 5/100	T518850+4405CPS	T518850+4405CMB	18x8.5 +44 5/100	T618850+4405CPS	
			F				18x8.5 +44 5/100	T518850+4405CPS	T518850+4405CMB			
WRX 11+, STI STI 08-13		18	F+R	18x8.5 +48 5/114.3	T418850+4805GPS	T418850+4805GMB	18x8.5 +48 5/114.3	T518850+4805GPS	T518850+4805GMB	18x8.5 +48 5/114.3	T618850+4805GPS	
			F+R	18x8.5 +40 5/114.3	T418850+4005GPS	T418850+4005GMB	18x8.5 +40 5/114.3	T518850+4005GPS	T518850+4005GMB	18x8.5 +40 5/114.3	T618850+4005GPS	
		19	F+R	18x9.0 +35 5/114.3	T418900+3505GPS	T418900+3505GMB	18x9.0 +35 5/114.3	T518900+3505GPS	T518900+3505GMB	18x9.0 +35 5/114.3	T618900+3505GPS	
			F+R	18x9.5 +45 5/114.3	T418950+4505GPS	T418950+4505GMB	18x9.5 +45 5/114.3	T518950+4505GPS	T518950+4505GMB	18x9.5 +45 5/114.3	T618950+4505GPS	
			F+R	19x8.5 +45 5/114.3	T419850+4505GPS	T419850+4505GMB	19x8.5 +45 5/114.3	T519850+4505GPS	T519850+4505GMB	19x8.5 +45 5/114.3	T619850+4505GPS	
			F+R	19x8.5 +38 5/114.3	T419850+3805GPS	T419850+3805GMB	19x8.5 +38 5/114.3	T519850+3805GPS	T519850+3805GMB	19x8.5 +38 5/114.3	T619850+3805GPS	
		GDWRX (STI) 05-07	18	F+R	18x7.5 +43 5/114.3	T418750+4305GPS	T418750+4305GMB	18x7.5 +43 5/114.3	T518750+4305GPS	T518750+4305GMB	18x7.5 +43 5/114.3	T618750+4305GPS
				F+R	18x8.5 +48 5/114.3	T418850+4805GPS	T418850+4805GMB	18x8.5 +48 5/114.3	T518850+4805GPS	T518850+4805GMB	18x8.5 +48 5/114.3	T618850+4805GPS
			F+R	18x8.5 +40 5/114.3	T418850+4005GPS	T418850+4005GMB	18x8.5 +40 5/114.3	T518850+4005GPS	T518850+4005GMB	18x8.5 +40 5/114.3	T618850+4005GPS	
		GD WRX NON STI 02-05	17	F+R	17x7.0 +50 5/100	T417700+5005CPS	T417700+5005CMB	17x7.0 +50 5/100	T517700+5005CPS	T517700+5005CMB	17x7.0 +50 5/100	T617700+5005CPS
				F+R	18x7.5 +48 5/100	T418750+4805CPS	T418750+4805CMB	18x7.5 +48 5/100	T518750+4805CPS	T518750+4805CMB	18x7.5 +48 5/100	T618750+4805CPS
			18	F+R	18x8.5 +44 5/100	T418850+4405CPS	T418850+4405CMB	18x7.5 +48 5/100	T518750+4805CPS	T518750+4805CMB	18x8.5 +44 5/100	T618850+4405CPS
F+R							18x8.5 +44 5/100	T518850+4405CPS	T518850+4405CMB			

*= Aggressive (may require render modification)

**= 2011+ WRX Only

KEY

RECOMMENDED
SLIGHTLY AGGRESSIVE
POPULAR/AGGRESSIVE*



Application Suggestion

APPLICATION		SIZE	F/R		PART#			PART#			PAR
				SIZING	PHANTOM SILVER	FLAT BLACK	SIZING	PHANTOM SILVER	FLAT BLACK	SIZING	
TOYOTA	Celica 00-05	17	F+R	17x7.0 +50 5/100	T417700+5005CPS	T417700+5005CMB	17x7.0 +50 5/100	T517700+5005CPS	T517700+5005CMB	17x7.0 +50 5/100	T617700+5005CPS
			F+R			17x8.0 +45 5/100	T517800+4505CPS	T517800+4505CMB			
		18	F+R	18x7.5 +48 5/100	T418750+4805CPS	T418750+4805CMB	18x7.5 +48 5/100	T518750+4805CPS	T518750+4805CMB	18x7.5 +48 5/100	T618750+4805CPS
			F+R	18x8.5 +44 5/100	T418850+4405CPS	T418850+4405CMB	18x8.5 +44 5/100	T518850+4405CPS	T518850+4405CMB	18x8.5 +44 5/100	T618850+4405CPS
	MR-S	15	F+R	15x6.5 +42 4/100	T415650+4204CPS	T415650+4204CMB	15x6.5 +42 4/100	T515650+4204CPS	T515650+4204CMB		
			F+R			15x7.0 +42 4/100	T515700+4204CPS	T515700+4204CMB			
		16	F+R			15x7.0 +35 4/100	T515700+3504CPS	T515700+3504CMB			
			F+R	16x6.5 +42 4/100	T416650+4204CPS	T416650+4204CMB	16x6.5 +42 4/100	T516650+4204CPS	T516650+4204CMB		
	SUPRA JZA80	17	F				17x8.0 +45 5/114.3	T517800+4505GPS	T517800+4505GMB		
			R			17x9.0 +45 5/114.3	T517900+4505GPS	T517900+4505GMB			
		18	F	18x8.5 +40 5/114.3	T418850+4005GPS	T418850+4005GMB	18x8.5 +40 5/114.3	T518850+4005GPS	T518850+4005GMB	18x8.5 +40 5/114.3	T618850+4005GPS
			R	18x9.5 +45 5/114.3	T418950+4505GPS	T418950+4505GMB	18x9.5 +45 5/114.3	T518950+4505GPS	T518950+4505GMB	18x9.5 +45 5/114.3	T618950+4505GPS
			F	18x8.5 +30 5/114.3	T418850+3005GPS	T418850+3005GMB	18x8.5 +30 5/114.3	T518850+3005GPS	T518850+3005GMB	18x8.5 +30 5/114.3	T618850+3005GPS
			R	18x9.5 +35 5/114.3	T418950+3505GPS	T418950+3505GMB	18x9.5 +35 5/114.3	T518950+3505GPS	T518950+3505GMB	18x9.5 +35 5/114.3	T618950+3505GPS
		19	F	19x8.5 +38 5/114.3	T419850+3805GPS	T419850+3805GMB	19x8.5 +38 5/114.3	T519850+3805GPS	T519850+3805GMB	19x8.5 +38 5/114.3	T619850+3805GPS
			R	19x9.5 +35 5/114.3	T419950+3505GPS	T419950+3505GMB	19x9.5 +35 5/114.3	T519950+3505GPS	T519950+3505GMB	19x9.5 +35 5/114.3	T619950+3505GPS
	Prius 03-13	17	F+R	17x7.0 +50 5/100	T417700+5005CPS	T417700+5005CMB	17x7.0 +50 5/100	T517700+5005CPS	T517700+5005CMB	17x7.0 +50 5/100	T617700+5005CPS
			F+R			17x8.0 +45 5/100	T517800+4505CPS	T517800+4505CMB			
		18	F+R	18x7.5 +48 5/100	T418750+4805CPS	T418750+4805CMB	18x7.5 +48 5/100	T518750+4805CPS	T518750+4805CMB	18x7.5 +48 5/100	T618750+4805CPS
			F+R	18x8.5 +44 5/100	T418850+4405CPS	T418850+4405CMB	18x8.5 +44 5/100	T518850+4405CPS	T518850+4405CMB	18x8.5 +44 5/100	T618850+4405CPS
	Prius C	15	F+R	15x6.5 +42 4/100	T415650+4204CPS	T415650+4204CMB	15x6.5 +42 4/100	T515650+4204CPS	T515650+4204CMB		
			F+R			15x7.0 +42 4/100	T515700+4204CPS	T515700+4204CMB			
		16	F+R	16x6.5 +42 4/100	T416650+4204CPS	T416650+4204CMB	16x6.5 +42 4/100	T516650+4204CPS	T516650+4204CMB		
			F+R			16x7.0 +42 4/100	T516700+4204CPS	T516700+4204CMB			
Yaris	15	F+R	15x6.5 +42 4/100	T415650+4204CPS	T415650+4204CMB	15x6.5 +42 4/100	T515650+4204CPS	T515650+4204CMB			
		F+R			15x7.0 +42 4/100	T515700+4204CPS	T515700+4204CMB				
	16	F+R	16x6.5 +42 4/100	T416650+4204CPS	T416650+4204CMB	16x6.5 +42 4/100	T516650+4204CPS	T516650+4204CMB			
		F+R			16x7.0 +42 4/100	T516700+4204CPS	T516700+4204CMB				

*= Aggressive (may Require fender modification)

**= 2011+ WRX Only

KEY

RECOMMENDED
SLIGHTLY AGGRESSIVE
POPULAR/AGGRESSIVE*

T#
FLAT BLACK
T617700+4205GMB
T618750+4305GMB
T618800+3505GMB
T618850+4805GMB
T618850+4005GMB
T618900+3505GMB
T618950+3505GMB
T619850+3805GMB
T619950+3505GMB
T617700+4205GMB
T618750+4305GMB
T618800+3505GMB
T618850+4805GMB
T617700+4205GMB
T618750+4305GMB
T618850+4805GMB
T618750+4805GMB
T618850+4805GMB
T618850+4805GMB
T618950+4505GMB

T#
FLAT BLACK
T618850+2205GMB
T618950+2205GMB
T619850+2505GMB
T619950+2005GMB
T619950+2005GMB
T619105+2505GMB
T619950+2005GMB
T619105+1505GMB
T618750+4305GMB
T618850+4805GMB
T618850+4005GMB
T618950+4505GMB
T619850+3805GMB
T619950+3505GMB
T618750+4305GMB
T618850+4005GMB
T618800+3505GMB
T618900+3505GMB
T619850+3805GMB
T619950+3505GMB
T618750+4305GMB
T618850+4805GMB
T618850+4005GMB
T618950+4505GMB
T619850+3805GMB
T619950+3505GMB

T#
FLAT BLACK
T617700+5005GMB
T618750+5305GMB
T618850+4805GMB
T618800+4005GMB
T618900+4505GMB
T618850+3005GMB
T618850+2205GMB
T618950+2205GMB
T619850+2505GMB
T619950+2005GMB
T619105+2505GMB
T619105+1505GMB
T618850+3005GMB
T618850+2205GMB
T618950+2205GMB

T#
FLAT BLACK
T618800+3505GMB
T618900+3505GMB
T618850+3005GMB
T618950+3505GMB
T618850+2205GMB
T618950+2205GMB
T618950+2205GMB
T618850+2205GMB
T618950+2205GMB
T619850+2505GMB
T619950+2005GMB
T619950+2005GMB
T619105+2505GMB
T619950+2005GMB
T619105+1505GMB
T618850+2205GMB
T618950+2205GMB
T619950+2005GMB
T619105+2505GMB
T619950+2005GMB
T619105+1505GMB
T617700+4205GMB
T618750+4305GMB
T618800+3505GMB

T#
FLAT BLACK
T617700+5005CMB
T618750+4805CMB
T618850+4405CMB
T617700+5005CMB
T618750+4805CMB
T618850+4405CMB
T617700+5005CMB
T618750+4305GMB
T618800+3505GMB
T619850+3805GMB
T617700+4205GMB
T618800+3505GMB
T618850+4005GMB
T619850+3805GMB
T617700+5005CMB
T618750+4805CMB
T618850+4405CMB
T618850+4805GMB
T618850+4005GMB
T618900+3505GMB
T618950+4505GMB
T619850+4505GMB
T619850+3805GMB
T619950+4505GMB
T618750+4305GMB
T618850+4805GMB
T618850+4005GMB
T617700+5005CMB
T618750+4805CMB
T618850+4405CMB

T#
FLAT BLACK
T617700+5005CMB
T618750+4805CMB
T618850+4405CMB
T618850+4005GMB
T618950+4505GMB
T618850+3005GMB
T618950+3505GMB
T619850+3805GMB
T619950+3505GMB
T617700+5005CMB
T618750+4805CMB
T618850+4405CMB